Data Sheet FUJITSU Cash Handling Component GSR50 Multi-Cassette Currency Recycling Module

Step Up to Better Cash Management with the GSR50 Recycler GSR50 Combines Slim, Compact Design with Large Array of Configuration Options

Enhanced Features

- Reliable currency recycling at a lower price, broadening the array of potential applications while ensuring a more rapid ROI
- Quickly and accurately verifies currency denominations, detects and separates counterfeit and unfit currency with the best-in-class bill validator.
- Several configuration options from bill acceptance unit only to 6 denomination bill recycling with loading cassette and large capacity deposit cassette
- Accepts up to 50 notes in a bundle for deposit, dispense up to 20 notes on withdrawal
- Supports major world currencies including mixed and used notes, paper and polymer notes
- Fujitsu SDK in middleware makes integration of GSR50 with your software application easier and quicker

Benefits

- Lower cost of ownership by more efficiently managing currency requirements and cashin-transit costs
- Increased up time with the flexibility of adding a loading cassette for increased capacities, start of day replenishment or additional denominations
- Supports provisional credit on questionable items by capturing the entire image of the note with the bill validator, providing greater flexibility to OEM providers.
- Manages the quality of notes by accepting and separating unfit currency, while dispensing only fit currency to end customers.
- OEMs can demonstrate ROI to customers with Asset Planning Tool[™], which enables customers to enter their unique currency handling data and calculate replenishment benchmarks vs. usage.



GSR50 Solution Overview

GSR50 Multi-Denomination Bill Recycler and Acceptor

The GSR50 recycling unit by Fujitsu is a real game- changer for the OEM sales channel. Built to Fujitsu's exacting standards, the GSR50 does not compromise features or capabilities for a smaller footprint.

The GSR50s lower price point now makes currency recycling a viable option in a greater number of self and assisted service applications in a number of industry verticals. Extremely configurable, up to 6 recycled denominations, high-capacity deposit box and loading cassette provides maximum flexibility.

With greater capacities, the GSR50 may be the ideal OEM solution for teller assist, ATMs, self-checkout, bill payment or retail cash management environments.

With Fujitsu's best-in-class bill validation, mixed denominations can be deposited in a bundle of up to 50 notes with the complete image of each note captured (front and back), and used to support provisional credit on "questionable" items. In addition, the bill validator denominates the inserted items, checks for counterfeit, can separate notes by fitness and stores notes in a secured cassette where they can

then be dispensed to another customer.

As a value added feature, the GSR50 can support mixed new and used currency and mixed paper and polymer notes.

Available in up to 18 different configurations, the GSR50 can be installed for front access, providing easy access to the pooling area and the entire length of the transport system to clear jammed notes or foreign objects.

To make the GSR50 as user-friendly and secure as possible there are LED "landing lights" to prompt and guide customers through transactions. In addition, there are optional locks for all cassettes.

To speed your solution to market and reduce costs, Fujitsu offers a robust SDK in middleware to lessen the burden of integrating your application software.

If you are unsure if the GSR50 is the right investment for your customer, Fujitsu has developed the Asset Planning Tool[™]. APT will enable you to enter your customer's currency handling data, and calculate replenishment benchmarks vs. usage patterns.





GSR50 Product Specifications

Dimensions (W x D x H)	155mm x 600mm x 309/769mm	
Weight (without bills)	Approx. 25kg	Minimum Configuration
Bill Transaction (deposit)	50 Bills	
Bill Transaction (dispense)	20 Bills	
Recycle Cassette Capacity	120 Bills (Approx.)* x 3 Recycle Cassettes (Two rollers per cassette, up to 6 denominations)	Approx. 309mm
Loading Cash Cassette Capacity (Option)	500 Bills (Approx.)*	Approx
Cash Box Capacity (Option)	1,500 Bills (Approx.)* Up to three cash boxes capable	
Acceptable Media Range	Maximum (mm) - 85mm x 182mm Minimum (mm) - 62mm x 120mm	Approx. 440mm Approx. 160m
Acceptable Bunch Size (mm)	6mm for dispense; 10mm for deposit	
Processing Speed	Deposit: Processes 3 Bills per second Dispense Processes 3 Bills per second	Maximum Configuration
Interface Specifications	USB 2.0; CEN / XFS; Fujitsu SDK in middleware to support rapid software application integration.	
Electrical Requirements	DC +24V +/- 10% MAX 12.7A	
Temperature Operation	5°C to 45°C	
Relative Humidity	Operation: 10% - 90% Stop State: 10% - 90%	769mm
RoHS compliant unit	Yes 🖲	Approx.

Fujitsu Frontech North America reserves the right to change specifications without notice *Actual number of notes depends on fitness of currency, new versus used

Contact

FUJITSU Fujitsu Frontech North America Inc. Address: 27121 Towne Centre Drive, Suite 100 Foothill Ranch, CA 92610 Phone: 877-766-7545 Email: CHPS.FFNA@us.fujitsu.com Website: http://www.fujitsu.com/us/oem/financial/atm GSR50_DS_012517



Approx. 160mm

Approx. 440mm

©2017 Copyright Fujitsu Frontech North America Inc. All rights reserved. Fujitsu and the Fujitsu logo are registered trademarks. All other trademarks are the property of their respective owners. Statements herein are based on normal operating conditions and are not intended to create any implied warranty of merchantability or fitness for a particular purpose. Fujitsu Frontech North America Inc. reserves the right to modify, at any time without notice, these statements, our services, products, and their warranty and performance specifications.